

SAFETY DATA SHEET

Woolcare Ulltvättmedel

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name

Woolcare Ulltvättmedel

Product no.

32200

Unique formula identifier (UFI)

QH5V-X25G-X00K-HHQH

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses of the substance or mixture

Laundry detergent

Use descriptors (REACH)

Sectors of use	Description
LCS "C"	Consumer uses: Private households (= general public = consumers)
LCS "PW"	Professional uses: Public domain (administration, education, entertainment, services, craftsmen)
Product category	Description
PC 35	Washing and Cleaning Products (including solvent based products)

Uses advised against

None known.

1.3. Details of the supplier of the safety data sheet

Company and address

Kempartner ABSnickarvägen 2
592 41 Vadstena
Sweden
+46-8 683 88 00

Contact person

Caroline Göransson

E-mail

info@kemibolaget.se

Revision

05/10/2023

SDS Version

1.0

1.4. Emergency telephone number

Contact The National Poisons Information Service (dial 111, 24 h service).

See section 4 "First aid measures".

SECTION 2: Hazards identification

Classified according to Regulation (EC) No. 1272/2008 (CLP) as retained and amended in UK law.

2.1. Classification of the substance or mixture

Skin Irrit. 2; H315, Causes skin irritation.

Eye Irrit. 2; H319, Causes serious eye irritation.

2.2. Label elements

Hazard pictogram(s)



According to EC-Regulation 1907/2006 (REACH), annex II, including changes implemented by EC-Regulation 2020/878

Signal word

Warning

Hazard statement(s)

Causes skin irritation. (H315)

Causes serious eye irritation. (H319)

Precautionary statement(s)

General

If medical advice is needed, have product container or label at hand. (P101)

Keep out of reach of children. (P102)

Prevention

Wash hands thoroughly after handling. (P264)

Wear eye protection. (P280)

Response

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing. (P305+P351+P338)

If eye irritation persists: Get medical advice/attention. (P337+P313)

Storage

-

Disposal

-

Hazardous substances

None known.

Additional labelling

UFI: QH5V-X25G-X00K-HHQH

2.3. Other hazards

Additional warnings

This mixture/product does not contain any substances considered to meet the criteria classifying them as PBT and/or vPvB.

This product does not contain any substances considered to be endocrine disruptors in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable. This product is a mixture.

3.2. Mixtures

Product/substance	Identifiers	% w/w	Classification	Note
Alcohol, C10-18, ethoxylated	CAS No.: 85422-93-1 EC No.: UK-REACH: Index No.:	10-15%	Acute Tox. 4, H302 Skin Irrit. 2, H315 Eye Irrit. 2, H319 Aquatic Chronic 3, H412	
Alcohols, C12-14 (even numbered), ethoxylated propoxylated (>= 2.5 moles EO/PO)	CAS No.: 68439-51-0 EC No.: 931-986-9 UK-REACH: Index No.:	5-10%	Aquatic Chronic 3, H412	
Alcohols, C12-14, ethoxylated, sulfates, sodium salts	CAS No.: 68891-38-3 EC No.: 500-234-8 UK-REACH: Index No.:	1-3%	Skin Irrit. 2, H315 Eye Dam. 1, H318 Aquatic Chronic 3, H412	[19]
2-phenoxyethanol	CAS No.: 122-99-6 EC No.: 204-589-7 UK-REACH: Index No.: 603-098-00-9	1-3%	Acute Tox. 4, H302 (ATE: 1850.00 mg/kg) Eye Irrit. 2, H319	
Diphenyl ether	CAS No.: 101-84-8 EC No.: 202-981-2 UK-REACH: Index No.:	<0.01%	Eye Irrit. 2, H319 Aquatic Chronic 2, H411	[1]
5-methylheptan-3-one	CAS No.: 541-85-5	<0.0015%	Flam. Liq. 3, H226	[1]

EC No.: 208-793-7
UK-REACH:
Index No.: 606-020-00-1

Eye Irrit. 2, H319
STOT SE 3, H335

See full text of H-phrases in section 16. Occupational exposure limits are listed in section 8, if these are available.

Other information

[1] European occupational exposure limit.

[19] UVCB = Unknown or variable composition, complex reaction products or of biological materials

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

In the case of accident: Contact a doctor or casualty department – take the label or this safety data sheet. Contact a doctor if in doubt about the injured person's condition or if the symptoms persist. Never give an unconscious person water or other drink.

Inhalation

Upon breathing difficulties or irritation of the respiratory tract: Bring the person into fresh air and stay with him/her.

Skin contact

IF ON SKIN: Wash with plenty of water/water and soap.

Remove contaminated clothing and shoes. Ensure to wash exposed skin thoroughly with water and soap. DO NOT use solvents or thinners.

If skin irritation occurs: Get medical advice/attention.

Eye contact

If in eyes: Flush eyes immediately with plenty of water or isotonic water (20-30 °C) for at least 5 minutes and continue until irritation stops. Remove contact lenses. Make sure to flush under upper and lower eyelids. If irritation continues, contact a doctor. Continue flushing during transport.

Ingestion

If the person is conscious, rinse the mouth with water and stay with the person. Never give the person anything to drink.

In case of malaise, seek medical advice immediately and bring the safety data sheet or label from the product. Do not induce vomiting, unless recommended by the doctor. Have the person lean forward with head down to avoid inhalation of or choking on vomited material.

Burns

Not applicable.

4.2. Most important symptoms and effects, both acute and delayed

Irritation effects: This product contains substances, which may cause irritation upon exposure to skin, eyes or lungs. Exposure may result in an increased absorption potential of other hazardous substances at the area of exposure.

4.3. Indication of any immediate medical attention and special treatment needed

If eye irritation persists: Get medical advice/attention.

Information to medics

Bring this safety data sheet or the label from this product.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Not applicable.

5.2. Special hazards arising from the substance or mixture

Fire will result in dense smoke. Exposure to combustion products may harm your health. Closed containers, which are exposed to fire, should be cooled with water. Do not allow fire-extinguishing water to enter the sewage system and nearby surface waters.

If the product is exposed to high temperatures, e.g. in the event of fire, dangerous decomposition compounds are produced. These are:

Halogenated compounds

Carbon oxides (CO / CO₂)

Some metal oxides

5.3. Advice for firefighters

According to EC-Regulation 1907/2006 (REACH), annex II, including changes implemented by EC-Regulation 2020/878

Wear self-contained breathing apparatus and protective clothing to prevent contact. Upon direct exposure contact The National Poisons Information Service (dial 111, 24 h service) in order to obtain further advice.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Avoid direct contact with spilled substances.
Ensure adequate ventilation, especially in confined areas.
Contaminated areas may be slippery.

6.2. Environmental precautions

Avoid discharge to lakes, streams, sewers, etc.
Keep unauthorized persons away from the spill

6.3. Methods and material for containment and cleaning up

Limit spillage and collect using granular absorbent or similar materials, and dispose of it in accordance with the regulations on dangerous waste.
Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations.
Wherever possible cleaning should be performed with normal cleaning agents. Avoid use of solvents.

6.4. Reference to other sections

See section 13 "Disposal considerations" on handling of waste.
See section 8 "Exposure controls/personal protection" for protective measures.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Smoking, drinking and consumption of food is not allowed in the work area.
See section 8 "Exposure controls/personal protection" for information on personal protection.

7.2. Conditions for safe storage, including any incompatibilities

Containers that have been opened must be carefully resealed and kept upright to prevent leakage.

Recommended storage material

Keep only in original packaging.

Storage temperature

Room temperature 15 to 25°C

Incompatible materials

Strong acids, strong bases, strong oxidizing agents, and strong reducing agents.

7.3. Specific end use(s)

This product should only be used for applications quoted in section 1.2.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Glycerol

Long term exposure limit (8 hours) (mg/m³): 10

Diphenyl ether

Long term exposure limit (8 hours) (ppm): 1

Long term exposure limit (8 hours) (mg/m³): 7

Short term exposure limit (15 minutes) (ppm): 2

Short term exposure limit (15 minutes) (mg/m³): 14

5-methylheptan-3-one

Long term exposure limit (8 hours) (ppm): 10

Long term exposure limit (8 hours) (mg/m³): 53

Short term exposure limit (15 minutes) (ppm): 20

Short term exposure limit (15 minutes) (mg/m³): 107

The Control of Substances Hazardous to Health Regulations 2002. SI 2002/2677 The Stationery Office 2002.
EH40/2005 Workplace exposure limits (Fourth Edition 2020).

DNEL

According to EC-Regulation 1907/2006 (REACH), annex II, including changes implemented by EC-Regulation 2020/878

2-phenoxyethanol		
Duration:	Route of exposure:	DNEL:
Long term – Systemic effects - General population	Dermal	10.42 mg/kg bw/day
Long term – Systemic effects - Workers	Dermal	20.83 mg/kg bw/day
Long term – Local effects - General population	Inhalation	2.41 mg/m ³
Long term – Local effects - Workers	Inhalation	5.7 mg/m ³
Long term – Systemic effects - General population	Inhalation	2.41 mg/m ³
Long term – Systemic effects - Workers	Inhalation	5.7 mg/m ³
Long term – Systemic effects - General population	Oral	9.23 mg/kg bw/day
Short term – Systemic effects - General population	Oral	9.23 mg/kg bw/day

Alcohols, C12-14, ethoxylated, sulfates, sodium salts

Duration:	Route of exposure:	DNEL:
Long term – Local effects - General population	Dermal	79 µg/cm ²
Long term – Local effects - Workers	Dermal	132 µg/cm ²
Long term – Systemic effects - General population	Dermal	1650 mg/kg bw/day
Long term – Systemic effects - Workers	Dermal	2750 mg/kg bw/day
Long term – Systemic effects - General population	Inhalation	52 mg/m ³
Long term – Systemic effects - Workers	Inhalation	175 mg/m ³
Long term – Systemic effects - General population	Oral	15 mg/kg bw/day

Glycerol

Duration:	Route of exposure:	DNEL:
Long term – Local effects - General population	Inhalation	132 mg/m ³
Long term – Local effects - Workers	Inhalation	220 mg/m ³

PNEC

2-phenoxyethanol

Route of exposure:	Duration of Exposure:	PNEC:
Freshwater		943 µg/L
Freshwater sediment		7.237 mg/kg
Intermittent release (freshwater)		3.44 mg/L
Marine water		94.3 µg/L
Marine water sediment		723.7 µg/kg
Sewage treatment plant		36 mg/L
Soil		1.31 mg/kg

Alcohols, C12-14, ethoxylated, sulfates, sodium salts

Route of exposure:	Duration of Exposure:	PNEC:
Freshwater		240 µg/L
Freshwater sediment		916.8 µg/kg
Intermittent release (freshwater)		71 µg/L
Marine water		24 µg/L
Marine water sediment		91.7 µg/kg
Sewage treatment plant		10 g/L
Soil		7.5 mg/kg

Glycerol

Route of exposure:	Duration of Exposure:	PNEC:
Sewage treatment plant		1 g/L

According to EC-Regulation 1907/2006 (REACH), annex II, including changes implemented by EC-Regulation 2020/878

8.2. Exposure controls

Compliance with the given occupational exposure limits values should be controlled on a regular basis.

General recommendations

Smoking, drinking and consumption of food is not allowed in the work area.

Exposure scenarios

There are no exposure scenarios implemented for this product.

Exposure limits

Professional users are subjected to the legally set maximum concentrations for occupational exposure. See occupational hygiene limit values above.

Appropriate technical measures

The formation of vapours must be kept at a minimum and below current limit values (see above). Installation of a local exhaust system if normal air flow in the work room is not sufficient is recommended. Ensure eyewash and emergency showers are clearly marked.

Apply standard precautions during use of the product. Avoid inhalation of vapours.

Hygiene measures

Take off contaminated clothing and wash it before reuse.

Measures to avoid environmental exposure

No specific requirements.

Individual protection measures, such as personal protective equipment

Generally

Use only UKCA marked protective equipment.

Respiratory Equipment

Type	Class	Colour	Standards
No special when used as intended.			

Skin protection

Recommended	Type/Category	Standards
No special when used as intended.	-	-

Hand protection

Material	Glove thickness (mm)	Breakthrough time (min.)	Standards
No special when used as intended	-	-	-
Gloves are recommended for long-term use			

Eye protection

Type	Standards
Safety glasses	EN166



SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state

Liquid

Colour

Colourless

Odour / Odour threshold

Of perfume

pH

7-8,5

Density (g/cm³)

~1,035

Kinematic viscosity

According to EC-Regulation 1907/2006 (REACH), annex II, including changes implemented by EC-Regulation 2020/878

Testing not relevant or not possible due to the nature of the product.

Particle characteristics

Does not apply to liquids.

Phase changes

Melting point/Freezing point (°C)

Testing not relevant or not possible due to the nature of the product.

Softening point/range (waxes and pastes) (°C)

Does not apply to liquids.

Boiling point (°C)

Testing not relevant or not possible due to the nature of the product.

Vapour pressure

Testing not relevant or not possible due to the nature of the product.

Relative vapour density

Testing not relevant or not possible due to the nature of the product.

Decomposition temperature (°C)

Testing not relevant or not possible due to the nature of the product.

Data on fire and explosion hazards

Flash point (°C)

Testing not relevant or not possible due to the nature of the product.

Flammability (°C)

Testing not relevant or not possible due to the nature of the product.

Auto-ignition temperature (°C)

Testing not relevant or not possible due to the nature of the product.

Lower and upper explosion limit (% v/v)

Testing not relevant or not possible due to the nature of the product.

Solubility

Solubility in water

Testing not relevant or not possible due to the nature of the product.

n-octanol/water coefficient

Testing not relevant or not possible due to the nature of the product.

Solubility in fat (g/L)

Testing not relevant or not possible due to the nature of the product.

9.2. Other information

Other physical and chemical parameters

No data available.

Oxidizing properties

Testing not relevant or not possible due to the nature of the product.

SECTION 10: Stability and reactivity

10.1. Reactivity

No data available.

10.2. Chemical stability

The product is stable under the conditions, noted in section 7 "Handling and storage".

10.3. Possibility of hazardous reactions

None known.

10.4. Conditions to avoid

None known.

10.5. Incompatible materials

Strong acids, strong bases, strong oxidizing agents, and strong reducing agents.

10.6. Hazardous decomposition products

The product is not degraded when used as specified in section 1.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Product/substance	Alcohol, C10-18, ethoxylated
Test method:	OECD 423

According to EC-Regulation 1907/2006 (REACH), annex II, including changes implemented by EC-Regulation 2020/878

Species:	Rat
Route of exposure:	Oral
Test:	LD50
Result:	>300- 2000 mg/kg

Product/substance	Alcohols, C12-14 (even numbered), ethoxylated propoxylated (\geq 2.5 moles EO/PO)
Species:	Rat
Route of exposure:	Oral
Test:	LD50
Result:	> 2,000 mg/kg

Product/substance	2-phenoxyethanol
Test method:	OECD 401
Species:	Rat
Route of exposure:	Oral
Test:	LD50
Result:	1,850 mg/kg

Product/substance	2-phenoxyethanol
Species:	Rat
Route of exposure:	Inhalation
Test:	LC50
Other information:	The maximum producible concentration is not lethal

Product/substance	2-phenoxyethanol
Species:	Rat
Route of exposure:	Inhalation
Test:	LC50

Skin corrosion/irritation

Product/substance	Alcohols, C12-14 (even numbered), ethoxylated propoxylated (\geq 2.5 moles EO/PO)
Test method:	OECD 404
Species:	Rabbit
Result:	Adverse effect observed (Slightly irritating)

Product/substance	2-phenoxyethanol
Test method:	OECD 404
Species:	Rabbit
Duration:	4 hours
Result:	No adverse effect observed (Not irritating)

Causes skin irritation.

Serious eye damage/irritation

Product/substance	Alcohols, C12-14 (even numbered), ethoxylated propoxylated (\geq 2.5 moles EO/PO)
Test method:	OECD 405
Species:	Rabbit
Result:	Adverse effect observed (Slightly irritating)

Product/substance	2-phenoxyethanol
Test method:	OECD 405
Species:	Rabbit
Result:	Adverse effect observed (Highly irritating)

Causes serious eye irritation.

Respiratory sensitisation

Based on available data, the classification criteria are not met.

Skin sensitisation

Product/substance	2-phenoxyethanol
Test method:	OECD 406
Species:	Guinea pig
Result:	No adverse effect observed (not sensitising)

Germ cell mutagenicity

Product/substance	Alcohols, C12-14 (even numbered), ethoxylated propoxylated (\geq 2.5 moles EO/PO)
Test method:	OECD 471
Species:	Bacteria, <i>S. typhimurium</i>

According to EC-Regulation 1907/2006 (REACH), annex II, including changes implemented by EC-Regulation 2020/878

Conclusion:	No adverse effect observed
-------------	----------------------------

Product/substance	2-phenoxyethanol
Test method:	OECD 471
Species:	Bacteria, <i>S. typhimurium</i>
Conclusion:	No adverse effect observed

Product/substance	2-phenoxyethanol
Test method:	OECD 471
Species:	Bacteria, <i>E. coli</i>
Conclusion:	No adverse effect observed

Carcinogenicity

Based on available data, the classification criteria are not met.

Reproductive toxicity

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

11.2. Information on other hazards

Long term effects

Irritation effects: This product contains substances, which may cause irritation upon exposure to skin, eyes or lungs. Exposure may result in an increased absorption potential of other hazardous substances at the area of exposure.

Endocrine disrupting properties

This mixture/product does not contain any substances considered to have hormone-disrupting properties in relation to health.

Other information

None known.

SECTION 12: Ecological information

12.1. Toxicity

Product/substance	Alcohol, C10-18, ethoxylated
Test method:	OECD 202
Species:	Crustacean, <i>Daphnia magna</i>
Duration:	48 hours
Test:	EC50
Result:	>1-<10 mg/L

Product/substance	Alcohol, C10-18, ethoxylated
Test method:	OECD 201
Species:	Algae, <i>Desmodesmus subspicatus</i>
Duration:	72 hours
Test:	EC50
Result:	>1-<10 mg/L

Product/substance	Alcohol, C10-18, ethoxylated
Test method:	OECD 215
Species:	Fish, <i>Brachydanio rerio</i>
Duration:	28 days
Test:	NOEC
Result:	>0,1-<1 mg/L

Product/substance	Alcohol, C10-18, ethoxylated
Test method:	OECD 211
Species:	Crustacean, <i>Daphnia magna</i>
Duration:	21 days
Test:	NOEC
Result:	>0,1-<1 mg/L

According to EC-Regulation 1907/2006 (REACH), annex II, including changes implemented by EC-Regulation 2020/878

Product/substance Alcohols, C12-14 (even numbered), ethoxylated propoxylated (≥ 2.5 moles EO/PO)
 Test method: OECD 203
 Species: Fish, *Poecilia reticulata*
 Duration: 96 hours
 Test: LC50
 Result: $> 1-10$ mg/L

Product/substance Alcohols, C12-14 (even numbered), ethoxylated propoxylated (≥ 2.5 moles EO/PO)
 Test method: OECD 202
 Species: Crustacean, *Daphnia magna*
 Duration: 48 hours
 Test: EC50
 Result: $> 1-10$ mg/L

Product/substance Alcohols, C12-14 (even numbered), ethoxylated propoxylated (≥ 2.5 moles EO/PO)
 Test method: OECD 201
 Species: Algae, *Desmodesmus subspicatus*
 Duration: 72 hours
 Test: EC50
 Result: $> 1-10$ mg/L

Product/substance Alcohols, C12-14 (even numbered), ethoxylated propoxylated (≥ 2.5 moles EO/PO)
 Test method: OECD 201
 Species: Algae, *Desmodesmus subspicatus*
 Duration: 72 hours
 Test: EC10
 Result: $> 0,1-10$ mg/L

Product/substance Alcohols, C12-14 (even numbered), ethoxylated propoxylated (≥ 2.5 moles EO/PO)
 Species: Bacteria, *Pseudomonas putida*
 Duration: 17 hours
 Test: EC10
 Result: $> 10,000$ mg/L

Product/substance 2-phenoxyethanol
 Test method: OECD 203
 Species: Fish, *Pimephales promelas*
 Compartment: Marine water
 Duration: 96 hours
 Test: LC50
 Result: 344 mg/L

Product/substance 2-phenoxyethanol
 Test method: OECD 202
 Species: *Daphnia*, *Daphnia magna*
 Compartment: Marine water
 Test: EC50
 Result: >500 mg/L

Product/substance 2-phenoxyethanol
 Test method: DIN 38412
 Species: Algae, *Desmodesmus subspicatus*
 Duration: 72 hours
 Test: ErC50
 Result: >500 mg/L

Product/substance 2-phenoxyethanol
 Test method: DIN 38412
 Species: Bacteria, *Pseudomonas putida*
 Compartment: Soil
 Duration: 16 hours
 Test: EC50
 Result: 883,3 mg/L

Product/substance 2-phenoxyethanol

According to EC-Regulation 1907/2006 (REACH), annex II, including changes implemented by EC-Regulation 2020/878

Test method: OECD 210
 Species: Fish, Pimephales promelas
 Compartment: Freshwater
 Duration: 34 days
 Test: NOEC
 Result: 23 mg/L

Product/substance 2-phenoxyethanol
 Test method: OECD 211
 Species: Daphnia, Daphnia magna
 Duration: 21 days
 Test: NOEC
 Result: 9,43 mg/L

12.2. Persistence and degradability

Product/substance Alcohols, C12-14 (even numbered), ethoxylated propoxylated (≥ 2.5 moles EO/PO)
 Biodegradable: Yes
 Test method: OECD 301 B
 Result: $> 60\%$; 28 d; aerob

Product/substance 2-phenoxyethanol
 Biodegradable: Yes
 Test method: OECD 301 F
 Result: 90 % in 28 days

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No 648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

12.3. Bioaccumulative potential

Product/substance 2-phenoxyethanol
 Potential bioaccumulation: No
 LogPow: 1,2
 BCF: 0,3

12.4. Mobility in soil

No data available.

12.5. Results of PBT and vPvB assessment

This mixture/product does not contain any substances considered to meet the criteria classifying them as PBT and/or vPvB.

12.6. Endocrine disrupting properties

This mixture/product does not contain any substances considered to have endocrine-disrupting properties in relation to the environment.

12.7. Other adverse effects

None known.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Product is covered by the regulations on hazardous waste.
 Dispose of contents/container to an approved waste disposal plant.
 Regulation (EU) No 1357/2014 of 18 December 2014 on waste as retained and amended in UK law.

EWC code

20 01 29* Detergents containing dangerous substances

Contaminated packing

Packaging containing residues of the product must be disposed of similarly to the product.

SECTION 14: Transport information

	14.1 UN / ID	14.2 UN proper shipping name	14.3 Hazard class(es)	14.4 PG*	14.5 Env**	Other information:
ADR	-	-	-	-	-	-

According to EC-Regulation 1907/2006 (REACH), annex II, including changes implemented by EC-Regulation 2020/878

	14.1 UN / ID	14.2 UN proper shipping name	14.3 Hazard class(es)	14.4 PG*	14.5 Env**	Other information:
IMDG	-	-	-	-	-	-
IATA	-	-	-	-	-	-

* Packing group

** Environmental hazards

Additional information

Not dangerous goods according to ADR, IATA and IMDG.

14.6. Special precautions for user

Not applicable.

14.7. Maritime transport in bulk according to IMO instruments

No data available.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Restrictions for application

No special.

Demands for specific education

No specific requirements.

SEVESO - Categories / dangerous substances

Not applicable.

Labelling of contents according to Detergents Regulation (EC) No 648/2004

15% - 30%

- Non-ionic surfactants

< 5%

- Anionic surfactants

- Perfumes

- Preservation agent (PHENOXYETHANOL)

Additional information

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No 648/2004 on detergents as retained and amended in UK law. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

Sources

Regulation (EC) No 648/2004 on detergents as retained and amended in UK law.

Regulation (EU) No 1357/2014 of 18 December 2014 on waste as retained and amended in UK law.

Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures (CLP) as retained and amended in UK law.

Regulation (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) as retained and amended in UK law.

15.2. Chemical safety assessment

No

SECTION 16: Other information

Full text of H-phrases as mentioned in section 3

H226, Flammable liquid and vapour.

H302, Harmful if swallowed.

H315, Causes skin irritation.

H318, Causes serious eye damage.

H319, Causes serious eye irritation.

H335, May cause respiratory irritation.

H411, Toxic to aquatic life with long lasting effects.

H412, Harmful to aquatic life with long lasting effects.

The full text of identified uses as mentioned in section 1

LCS "C" = Consumer uses: Private households (= general public = consumers)

LCS "PW" = Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

According to EC-Regulation 1907/2006 (REACH), annex II, including changes implemented by EC-Regulation 2020/878

PC 35 = Washing and Cleaning Products (including solvent based products)

Abbreviations and acronyms

ADN = European Provisions concerning the International Carriage of Dangerous Goods by Inland Waterway

ADR = The European Agreement concerning the International Carriage of Dangerous Goods by Road

ATE = Acute Toxicity Estimate

BCF = Bioconcentration Factor

CAS = Chemical Abstracts Service

CE = Conformité Européenne (European conformity)

CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008]

CSA = Chemical Safety Assessment

CSR = Chemical Safety Report

DMEL = Derived Minimal Effect Level

DNEL = Derived No Effect Level

EINECS = European Inventory of Existing Commercial chemical Substances

ES = Exposure Scenario

EUH statement = CLP-specific Hazard statement

EuPCS = European Product Categorisation System

EWC = European Waste Catalogue

GHS = Globally Harmonized System of Classification and Labelling of Chemicals

IARC = International Agency for Research on Cancer (IARC)

IATA = International Air Transport Association

IBC = Intermediate Bulk Container

IMDG = International Maritime Dangerous Goods

LogPow = logarithm of the octanol/water partition coefficient

MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution)

OECD = Organisation for Economic Co-operation and Development

PBT = Persistent, Bioaccumulative and Toxic

PNEC = Predicted No Effect Concentration

RID = The Regulations concerning the International Carriage of Dangerous Goods by Rail

RRN = REACH Registration Number

SCL = A specific concentration limit

SVHC = Substances of Very High Concern

STOT-RE = Specific Target Organ Toxicity - Repeated Exposure

STOT-SE = Specific Target Organ Toxicity - Single Exposure

TWA = Time weighted average

UN = United Nations

UVBC = Unknown or variable composition, complex reaction products or of biological materials

VOC = Volatile Organic Compound

vPvB = Very Persistent and Very Bioaccumulative

Additional information

The classification of the substance/mixture in regard of health hazards are in accordance with the calculation methods given by Regulation (EC) No. 1272/2008 (CLP) as retained and amended in UK law.

The safety data sheet is validated by

CG

Other

A change (in proportion to the last essential change (first cipher in SDS version, see section 1)) is marked with a blue triangle.

The information in this safety data sheet applies only to this specific product (mentioned in section 1) and is not necessarily correct for use with other chemicals/products.

It is recommended to hand over this safety data sheet to the actual user of the product. Information in this safety data sheet cannot be used as a product specification.

Country-language: GB-en